



03167MF Left Hand Door & Drain 03167MFH (optional)



03168MF Right Hand Door & Drain 03168MFH (optional)

Specifications

Actual Size: 27.5 $\$ W x 52.25 $\$ L x 38 $\$ H Shipping Size: 31 $\$ W x 57 $\$ L x 47 $\$ H

Shipping Weight: 240 lbs. Net Weight: 140 lbs. Water Capacity:

70 gal. US (unoccupied) 35-55 gal. US (occupied)

Options

- Left or Right Hand Door/Drain
- Heated Seat and Backrest

Included Features

Tub Shell – Acrylic Tub Shell:

- · High quality cast acrylic grade A
- · Excellent color uniformity
- · High gloss white finish
- 5 mm cast acrylic sheet
- · Fiberglass reinforced
- 1. Stainless Steel Frame
- 2. Low threshold step in 8 with the option to lower to 5
- 3. Seat Width: 19.75
- 4. Eight (8) adjustable heavy duty leveling legs
- 5. Stainless steel and tempered glass door, door frame and door seal gasket
- 6. Removable door for easy cleaning
- 7. Deck mount safety grab bar
- 8. Removable rubber back support (white)
- 9. Unique removable swivel tray (Patented)
- 10. MicroBubble Therapy System
 - 1HP Pump (10 amp)
 - Pressure Vessel
 - Air Switch
 - Agitator Valve
- 11. Two (2) front, one (1) toe kick and one (1) side removable access panels
- 12. Wall extension kit to fit in standard 60 opening (extends to 59)

- 13. Huntington Brass Fast Fill Faucet Set
 - Hot Lever Handle
 - Cold Lever Handle
 - Diverter + Handle
 - Hand Shower
 - Spout with Shank (extends to 59)

Plumbing

- Two (2) x 2 floor drains with 2 overflows and 2 ADA compliant stainless steel cable operated openers with extension handles
- Drainage time +/- 80 seconds to overflow
- Two (2) PVC 2 drain elbows with 2 opening


Warranty

- Lifetime limited warranty on frame, door, door seal gasket and acrylic walk in tub shell
- 5 Year parts warranty*
- *For more information please visit www.ellasbubbles.com




Kick Access Panel

*No faucet option shown Removable Rubber Back Rest Deck Mount Grab Bar End Access Panel (One End Panel Included) Stainless Steel & Tempered Glass Door Small Access Panel Removable Tow






*Right hand door and drain shown



Disclaimer:

In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.







Heated Seat and Backrest

Specifications

Voltage:

Input - 120V

Wattage:

Back - 47.4W

Seat - 44.6W

Total - 92W

Components:

(1) Controller Box

(1) LED Keypad

(2) Seat Heater

(2) Backrest Heater



