

## Petite Soaking Walk In Bathtub



03167 Left Hand Door and Drain



03168 Right Hand Door and Drain

Actual Size: 27.5 W x 52.25 L x 38 H  
 Shipping Size: 31 W x 57 L x 47 H  
 Shipping Weight: 230 lbs.  
 Net Weight: 130 lbs.  
 Water Capacity: 70 gal. US (unoccupied)  
 35-55 gal. US (occupied)

**Options:**

- Left or Right Hand Door/Drain
- Dual Massage
- Dual Massage with No Faucet (holes not drilled)
- 5 Piece Fast Fill Roman Faucet Set (Hot, Cold, Diverter, Hand Shower, Tub Spout)
- 5 Piece Traditional Roman Faucet Set (Hot, Cold, Diverter, Hand Shower, Tub Spout)

**Included Features:**

**Tub Shell – Acrylic Tub Shell:**

- High quality cast acrylic grade A
- Excellent color uniformity
- High Gloss White Finish
- 5 mm cast acrylic sheet
- Fiberglass Reinforced

1. Stainless Steel Frame
2. Low threshold step in 8 with the option to lower to 5
3. Seat Width: 19.75
4. Eight (8) adjustable heavy duty leveling legs
5. Stainless steel and tempered glass door, door frame and door seal gasket
6. Removable door for easy cleaning
7. Deck mount safety grab bar
8. Removable rubber back support (white)
9. Unique removable swivel tray (Patent Pending)
10. Two (2) front, one (1) toe kick and one (1) side removable access panels
11. Wall extension kit to fit in standard 60" opening (extends to 59 )

**Plumbing:**



- Two (2) x 2 floor drains with 2 overflows and 2 ADA compliant stainless steel cable operated openers with extension handles
- Drainage time +/- 80 seconds to over flow
- Two (2) PVC 2 drain elbows with 2 opening

**Warranty:**

- Lifetime limited warranty on frame, door, door seal gasket and acrylic walk in tub shell
- 5 Year parts warranty\*

\*For more information please visit [www.ellasbubbles.com](http://www.ellasbubbles.com)

# Petite Soaking Walk In Bathtub Features



Panel On



Panel Off



Lowered Threshold




Baseboard On  
(not supplied)

# Petite Soaking Walk In Bathtub

03167 L / 03168 R

\*Right hand door and drain shown



Disclaimer:  
 In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.